

Kostki

*Cena dotyczy całych kawałków bez cięcia
Cena nie uwzględnia kosztów transportu
Stan z dn. 25.08.2020*

1730					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/1730	11	370	890	28,44	85,31
2/1730	12	130	440	5,39	16,16
3/1730	120	115	240	26,00	78,00
4/1730	120	130	195	23,88	71,64
5/1730	120	150	150	21,20	63,59
6/1730	120	150	160	22,61	67,82
7/1730	120	190	440	78,75	236,25
8/1730	120	210	210	41,54	124,63
9/1730	140	95	220	22,97	68,91
10/1730	140	140	120	18,46	55,39
11/1730	140	140	130	20,00	60,01
12/1730	140	160	130	22,86	68,58
13/1730	160	85	405	43,24	129,71
14/1730	160	140	260	45,72	137,16
15/1730	160	145	330	60,10	180,30
16/1730	160	135	215	36,46	109,37
17/1730	160	140	250	43,96	131,88
18/1730	160	220	280	77,37	232,11
19/1730	190	80	330	39,38	118,13
20/1730	255	50	260	26,02	78,07
21/1730	255	110	260	57,25	171,75

S355J2+N					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/S355J2+N	130	220	280	62,86	188,59
2/S355J2+N	160	170	285	60,85	182,56

Kostki

2312					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2312	120	80	250	18,84	75,36
2/2312	120	160	190	28,64	114,55
3/2312	120	190	350	62,64	250,57
4/2312	120	200	230	43,33	173,33
5/2312	125	205	450	90,52	362,08
6/2312	140	110	495	59,84	239,36
7/2312	140	130	355	50,72	202,88
8/2312	140	135	355	52,67	210,68
9/2312	140	270	240	71,22	284,86
10/2312	145	140	215	34,26	137,05
11/2312	160	150	265	49,93	199,70
12/2312	160	160	235	47,23	188,90
13/2312	160	210	175	46,16	184,63
14/2312	176	145	450	90,15	360,60
15/2312	180	60	595	50,44	201,78
16/2312	180	65	710	65,21	260,84
17/2312	180	90	465	59,13	236,54
18/2312	180	100	495	69,94	279,77
19/2312	180	150	420	89,02	356,08
20/2312	180	170	340	81,67	326,69
21/2312	180	180	170	43,24	172,95
22/2312	180	200	240	67,82	271,30
23/2312	180	215	295	89,62	358,48
24/2312	180	220	310	96,37	385,47
25/2312	180	290	220	90,15	360,60
26/2312	200	165	355	91,96	367,85
27/2312	225	220	255	99,09	396,35
28/2312	250	140	240	65,94	263,76
29/2312	250	155	250	76,05	304,19

Kostki

2311					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2311	70	190	315	32,89	131,55
2/2311	120	185	210	36,60	146,39
3/2311	125	200	260	51,03	204,10
4/2311	130	150	585	89,55	358,20
5/2311	140	100	350	38,47	153,86
6/2311	140	160	330	58,03	232,11
7/2311	140	170	270	50,44	201,78
8/2311	160	120	205	30,90	123,59
9/2311	160	180	320	72,35	289,38
10/2311	160	250	275	86,35	345,40
11/2311	180	115	180	29,25	117,00
12/2311	180	180	270	68,67	274,69
13/2311	180	195	195	53,73	214,92
14/2311	180	220	215	66,83	267,34
15/2311	195	105	245	39,38	157,51
16/2311	200	80	145	18,21	72,85
17/2311	200	185	250	72,61	290,45

2085					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2085	20	430	515	34,77	243,37
2/2085	20	135	215	4,56	31,90
3/2085	22	135	405	9,44	66,10
4/2085	25	160	175	5,50	38,47
5/2085	25	160	175	5,50	38,47
6/2085	25	100	550	10,79	75,56
7/2085	27	220	255	11,89	83,23
8/2085	28	100	505	11,10	77,70
9/2085	28	140	495	15,23	106,62
10/2085	30	75	270	4,77	33,38
11/2085	30	90	180	3,82	26,71
12/2085	30	100	300	7,07	49,46

Kostki

13/2085	30	100	510	12,01	84,07
14/2085	30	115	280	7,58	53,08
15/2085	30	145	90	3,07	21,51
16/2085	30	160	195	7,35	51,43
17/2085	30	180	195	8,27	57,86
18/2085	30	200	300	14,13	98,91
19/2085	30	170	390	15,61	109,30
20/2085	30	195	245	11,25	78,76
21/2085	32	120	435	13,11	91,79
22/2085	32	145	455	16,57	116,01
23/2085	32	150	705	26,56	185,95
24/2085	32	175	330	14,51	101,55
25/2085	32	315	150	11,87	83,08
26/2085	32	130	395	12,90	90,29
27/2085	33	205	135	7,17	50,18
28/2085	34	100	195	5,20	36,43
29/2085	34	150	190	7,61	53,25
30/2085	35	90	305	7,54	52,79
31/2085	35	115	275	8,69	60,82
32/2085	35	120	160	5,28	36,93
33/2085	35	170	190	8,87	62,12
34/2085	35	120	380	12,53	87,70
35/2085	35	145	300	11,95	83,66
36/2085	35	202	202	11,21	78,48
37/2085	35	240	195	12,86	90,01
38/2085	35	80	1005	22,09	154,63
39/2085	36	115	305	9,91	69,39
40/2085	36	400	175	19,78	138,47
41/2085	40	120	350	13,19	92,32
42/2085	40	140	160	7,03	49,24
43/2085	40	145	330	15,02	105,17
44/2085	40	150	165	7,77	54,40
45/2085	40	150	305	14,37	100,56
46/2085	40	115	235	8,49	59,40

Kostki

47/2085	42	185	285	17,38	121,68
48/2085	43	80	405	10,94	76,56
49/2085	43	100	230	7,76	54,35
50/2085	43	155	240	12,56	87,90
51/2085	44	145	450	22,54	157,76
52/2085	44	150	305	15,80	110,61
53/2085	45	95	405	13,59	95,14
54/2085	45	100	370	13,07	91,49
55/2085	45	145	305	15,62	109,36
56/2085	45	145	355	18,18	127,28
57/2085	45	145	635	32,53	227,68
58/2085	45	195	225	15,50	108,49
59/2085	49	120	405	18,69	130,86
60/2085	50	60	505	11,89	83,25
61/2085	50	65	660	16,84	117,87
62/2085	50	80	355	11,15	78,03
63/2085	50	80	405	12,72	89,02
64/2085	50	80	455	14,29	100,01
65/2085	50	85	305	10,18	71,23
66/2085	50	85	500	16,68	116,77
67/2085	50	95	425	15,85	110,93
68/2085	50	110	480	20,72	145,07
69/2085	50	120	225	10,60	74,18
70/2085	50	120	255	12,01	84,07
71/2085	50	120	405	19,08	133,53
72/2085	50	125	140	6,87	48,08
73/2085	50	130	160	8,16	57,15
74/2085	50	140	190	10,44	73,08
75/2085	50	145	200	11,38	79,68
76/2085	50	145	335	19,07	133,46
77/2085	50	150	165	9,71	68,00
78/2085	50	150	390	22,96	160,73
79/2085	50	150	655	38,56	269,94
80/2085	50	180	190	13,42	93,96

Kostki

81/2085	50	185	285	20,69	144,86
82/2085	50	195	110	8,42	58,93
83/2085	50	195	565	43,24	302,71
84/2085	50	240	120	11,30	79,13
85/2085	50	305	90	10,77	75,42
86/2085	53	120	370	18,47	129,31
87/2085	54	145	350	21,51	150,59
88/2085	55	80	330	11,40	79,79
89/2085	55	95	300	12,30	86,13
90/2085	55	100	255	11,01	77,07
91/2085	55	115	370	18,37	128,60
92/2085	55	130	290	16,28	113,94
93/2085	55	140	405	24,48	171,36
94/2085	55	145	735	46,01	322,10
95/2085	55	195	200	16,84	117,87
96/2085	55	160	505	34,89	244,20
97/2085	57	200	220	19,69	137,81
98/2085	58	120	255	13,93	97,53
99/2085	60	85	215	8,61	60,25
100/2085	60	90	250	10,60	74,18
101/2085	60	160	80	6,03	42,20
102/2085	60	165	190	14,77	103,36
103/2085	60	175	150	12,36	86,55
104/2085	60	245	105	12,12	84,82
105/2085	60	250	110	12,95	90,67
106/2085	60	455	90	19,29	135,01
107/2085	60	70	455	15,00	105,01
108/2085	60	70	610	20,11	140,78
109/2085	62	85	355	14,69	102,80
110/2085	62	125	455	27,68	193,77
111/2085	63	120	505	29,97	209,79
112/2085	65	100	455	23,22	162,51
113/2085	65	195	245	24,38	170,64
114/2085	65	500	85	21,69	151,80

Kostki

115/2085	70	60	355	11,70	81,93
116/2085	70	80	370	16,27	113,86
117/2085	70	95	355	18,53	129,72
118/2085	70	95	470	24,54	171,75
119/2085	70	95	505	26,36	184,54
120/2085	70	110	495	29,92	209,44
121/2085	70	115	175	11,06	77,41
122/2085	70	115	175	11,06	77,41
123/2085	70	150	325	26,79	187,52
124/2085	70	155	260	22,14	155,01
125/2085	70	160	130	11,43	80,01
126/2085	70	175	200	19,23	134,63
127/2085	70	190	210	21,93	153,48
128/2085	70	195	155	16,61	116,26
129/2085	70	195	225	24,11	168,77
130/2085	70	500	135	37,09	259,64
131/2085	72	105	735	43,62	305,34
132/2085	73	95	205	11,16	78,12
133/2085	75	80	295	13,89	97,26
134/2085	75	120	155	10,95	76,66
135/2085	80	95	255	15,21	106,49
136/2085	80	100	245	15,39	107,70
137/2085	80	110	330	22,80	159,57
138/2085	80	120	140	10,55	73,85
139/2085	80	120	255	19,22	134,52
140/2085	80	125	355	27,87	195,07
141/2085	80	140	140	12,31	86,16
142/2085	80	140	355	31,21	218,48
143/2085	80	140	400	35,17	246,18
144/2085	80	145	190	17,30	121,11
145/2085	80	145	360	32,78	229,47
146/2085	80	145	380	34,60	242,22
147/2085	80	145	505	45,99	321,90
148/2085	80	150	250	23,55	164,85

Kostki

149/2085	80	150	255	24,02	168,15
150/2085	80	150	260	24,49	171,44
151/2085	80	150	305	28,73	201,12
152/2085	80	150	310	29,20	204,41
153/2085	80	150	355	33,44	234,09
154/2085	80	165	130	13,47	94,29
155/2085	80	165	200	20,72	145,07
156/2085	80	195	155	18,98	132,87
157/2085	80	300	115	21,67	151,66
158/2085	80	100	425	26,69	186,83
159/2085	80	120	400	30,14	211,01
160/2085	80	120	405	30,52	213,65
161/2085	80	140	405	35,61	249,25
162/2085	80	145	405	36,88	258,16
163/2085	80	215	195	26,33	184,30
164/2085	80	80	345	17,33	121,33
165/2085	80	85	410	21,89	153,20
166/2085	80	95	525	31,32	219,25
167/2085	82	190	290	35,47	248,28
168/2085	82	135	445	38,67	270,69
169/2085	82	85	355	19,42	135,97
170/2085	85	100	400	26,69	186,83
171/2085	90	15	520	5,51	38,57
172/2085	90	50	555	19,61	137,24
173/2085	90	95	305	20,47	143,30
174/2085	90	95	355	23,83	166,79
175/2085	90	100	190	13,42	93,96
176/2085	90	100	245	17,31	121,16
177/2085	90	100	395	27,91	195,35
178/2085	90	100	450	31,79	222,55
179/2085	90	105	305	22,63	158,38
180/2085	90	145	195	19,98	139,83
181/2085	90	145	450	46,10	322,69
182/2085	90	150	400	42,39	296,73

Kostki

183/2085	90	155	355	38,88	272,13
184/2085	90	160	405	45,78	320,47
185/2085	90	165	200	23,31	163,20
186/2085	90	165	250	29,14	204,00
187/2085	90	170	455	54,65	382,53
188/2085	90	180	190	24,16	169,14
189/2085	90	195	115	15,84	110,90
190/2085	90	195	445	61,31	429,15
191/2085	92	55	555	22,05	154,32
192/2085	92	95	460	31,56	220,92
193/2085	92	110	205	16,29	114,00
194/2085	92	145	400	41,89	293,21
195/2085	92	195	455	64,08	448,54
196/2085	92	195	455	64,08	448,54
197/2085	92	245	200	35,39	247,71
198/2085	92	455	190	62,43	437,04
199/2085	100	50	255	10,01	70,06
200/2085	100	90	305	21,55	150,84
201/2085	100	100	370	29,05	203,32
202/2085	100	105	350	28,85	201,94
203/2085	100	110	350	30,22	211,56
204/2085	100	110	510	44,04	308,27
205/2085	100	125	505	49,55	346,87
206/2085	100	125	505	49,55	346,87
207/2085	100	140	355	39,01	273,10
208/2085	100	140	455	50,00	350,03
209/2085	100	145	160	18,21	127,48
210/2085	100	145	405	46,10	322,69
211/2085	100	145	420	47,81	334,65
212/2085	100	145	455	51,79	362,53
213/2085	100	145	655	74,56	521,89
214/2085	100	150	210	24,73	173,09
215/2085	100	150	230	27,08	189,58
216/2085	100	150	250	29,44	206,06

Kostki

217/2085	100	150	355	41,80	292,61
218/2085	100	150	380	44,75	313,22
219/2085	100	150	420	49,46	346,19
220/2085	100	155	350	42,59	298,10
221/2085	100	155	390	47,45	332,17
222/2085	100	155	400	48,67	340,69
223/2085	100	160	260	32,66	228,59
224/2085	100	160	355	44,59	312,12
225/2085	100	160	355	44,59	312,12
226/2085	100	165	165	21,37	149,60
227/2085	100	165	290	37,56	262,94
228/2085	100	165	505	65,41	457,87
229/2085	100	170	355	47,37	331,62
230/2085	100	170	360	48,04	336,29
231/2085	100	180	380	53,69	375,86
232/2085	100	180	405	57,23	400,59
233/2085	100	190	505	75,32	527,25
234/2085	100	195	245	37,50	262,52
235/2085	100	195	465	71,18	498,26
236/2085	120	47	755	33,43	233,99
237/2085	120	55	655	33,94	237,55
238/2085	120	75	170	12,01	84,07
239/2085	120	85	105	8,41	58,85
240/2085	120	85	225	18,02	126,11
241/2085	120	90	605	51,29	359,04
242/2085	120	95	355	31,77	222,38
243/2085	120	95	355	31,77	222,38
244/2085	120	95	405	36,24	253,70
245/2085	120	95	505	45,19	316,35
246/2085	120	115	250	27,08	189,58
247/2085	120	125	190	22,37	156,61
248/2085	120	150	150	21,20	148,37
249/2085	120	165	305	47,41	331,84
250/2085	120	210	200	39,56	276,95

Kostki

2343					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2343	20	110	135	2,33	16,32
2/2343	21	95	245	3,84	26,86
3/2343	21	95	255	3,99	27,95
4/2343	21	175	195	5,63	39,38
5/2343	21	320	775	40,88	286,18
6/2343	30	50	505	5,95	41,62
7/2343	30	70	550	9,07	63,47
8/2343	30	80	200	3,77	26,38
9/2343	30	475	550	61,52	430,67
10/2343	32	95	215	5,13	35,92
11/2343	35	100	110	3,02	21,16
12/2343	35	130	135	4,82	33,75
13/2343	35	140	170	6,54	45,77
14/2343	35	180	225	11,13	77,89
15/2343	35	180	225	11,13	77,89
16/2343	35	195	105	5,63	39,38
17/2343	37	75	505	11,00	77,01
18/2343	40	50	295	4,63	32,42
19/2343	40	50	700	10,99	76,93
20/2343	40	95	160	4,77	33,41
21/2343	40	95	165	4,92	34,45
22/2343	40	95	180	5,37	37,59
23/2343	43	90	145	4,41	30,84
24/2343	45	55	180	3,50	24,48
25/2343	45	55	1000	19,43	136,00
26/2343	45	80	225	6,36	44,51
27/2343	45	140	145	7,17	50,20
28/2343	45	215	85	6,46	45,19
29/2343	47	100	190	7,01	49,07
30/2343	50	60	245	5,77	40,39
31/2343	50	70	105	2,88	20,19

Kostki

32/2343	50	80	200	6,28	43,96
33/2343	50	90	100	3,53	24,73
34/2343	50	90	225	7,95	55,64
35/2343	50	90	295	10,42	72,95
36/2343	50	110	140	6,04	42,31
37/2343	52	100	195	7,96	55,72
38/2343	55	60	500	12,95	90,67
39/2343	55	80	110	3,80	26,60
40/2343	55	130	150	8,42	58,93
41/2343	60	60	385	10,88	76,16
42/2343	60	65	120	3,67	25,72
43/2343	60	85	85	3,40	23,82
44/2343	60	85	130	5,20	36,43
45/2343	60	90	300	12,72	89,02
46/2343	60	95	105	4,70	32,89
47/2343	60	95	380	17,00	119,02
48/2343	60	100	295	13,89	97,26
49/2343	60	120	135	7,63	53,41
50/2343	65	65	215	7,13	49,92
51/2343	65	70	265	9,47	66,26
52/2343	65	80	320	13,06	91,44
53/2343	65	85	805	34,91	244,40
54/2343	65	100	365	18,62	130,37
55/2343	65	100	390	19,90	139,30
56/2343	65	345	550	96,82	677,74
57/2343	66	130	80	5,39	37,72
58/2343	70	75	245	10,10	70,68
59/2343	70	90	250	12,36	86,55
60/2343	70	90	260	12,86	90,01
61/2343	70	105	125	7,21	50,49
62/2343	70	120	480	31,65	221,56
63/2343	70	165	425	38,53	269,74
64/2343	75	95	140	7,83	54,81
65/2343	78	85	195	10,15	71,04

Kostki

66/2343	78	90	360	19,84	138,87
67/2343	78	100	355	21,74	152,16
68/2343	80	85	250	13,35	93,42
69/2343	80	205	455	58,58	410,04
70/2343	85	90	790	47,44	332,09
71/2343	85	95	365	23,14	161,96
72/2343	85	105	180	12,61	88,28
73/2343	85	110	120	8,81	61,65
74/2343	90	75	165	8,74	61,20
75/2343	90	75	400	21,20	148,37
76/2343	90	80	355	20,06	140,45
77/2343	90	95	450	30,20	211,42
78/2343	90	100	90	6,36	44,51
79/2343	90	100	225	15,90	111,27
80/2343	90	130	130	11,94	83,58
81/2343	95	70	305	15,92	111,45
82/2343	105	130	180	19,29	135,01
83/2343	105	130	180	19,29	135,01
84/2343	108	205	455	79,08	553,55

2343ESR					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2343ESR	15	270	415	13,19	118,74
2/2343ESR	15	300	500	17,66	158,96
3/2343ESR	20	555	665	57,94	521,50
4/2343ESR	25	100	230	4,51	40,62
5/2343ESR	30	110	605	15,67	141,05
6/2343ESR	30	250	250	14,72	132,47
7/2343ESR	34	90	210	5,04	45,40
8/2343ESR	35	85	565	13,19	118,75
9/2343ESR	35	105	510	14,71	132,42
10/2343ESR	35	125	500	17,17	154,55
11/2343ESR	35	255	140	9,81	88,28
12/2343ESR	36	200	675	38,15	343,36

Kostki

13/2343ESR	36	240	250	16,96	152,60
14/2343ESR	37	160	380	17,66	158,93
15/2343ESR	38	103	365	11,21	100,93
16/2343ESR	38	110	505	16,57	149,14
17/2343ESR	38	115	455	15,61	140,48
18/2343ESR	38	200	385	22,97	206,72
19/2343ESR	39	120	190	6,98	62,82
20/2343ESR	40	75	360	8,48	76,30
21/2343ESR	40	90	355	10,03	90,29
22/2343ESR	40	95	255	7,61	68,46
23/2343ESR	40	100	195	6,12	55,11
24/2343ESR	40	105	375	12,36	111,27
25/2343ESR	40	120	305	11,49	103,43
26/2343ESR	40	175	355	19,51	175,57
27/2343ESR	43	85	505	14,49	130,40
28/2343ESR	43	165	190	10,58	95,24
29/2343ESR	45	70	500	12,36	111,27
30/2343ESR	45	70	500	12,36	111,27
31/2343ESR	45	75	360	9,54	85,84
32/2343ESR	45	80	205	5,79	52,14
33/2343ESR	45	115	270	10,97	98,72
34/2343ESR	45	125	255	11,26	101,34
35/2343ESR	45	125	500	22,08	198,70
36/2343ESR	45	130	395	18,14	163,25
37/2343ESR	45	165	440	25,65	230,81
38/2343ESR	48	125	250	11,78	105,98
39/2343ESR	50	275	280	30,22	272,00
40/2343ESR	52	135	140	7,71	69,43
41/2343ESR	55	251	435	47,14	424,27
42/2343ESR	59	180	275	22,93	206,33
43/2343ESR	60	70	230	7,58	68,25
44/2343ESR	60	100	405	19,08	171,68
45/2343ESR	60	130	255	15,61	140,52
46/2343ESR	60	130	450	27,55	247,98

Kostki

47/2343ESR	60	165	360	27,98	251,80
48/2343ESR	60	305	130	18,68	168,08
49/2343ESR	60	305	175	25,14	226,26
50/2343ESR	65	130	290	19,24	173,13
51/2343ESR	65	190	200	19,39	174,51
52/2343ESR	68	70	510	19,06	171,51
53/2343ESR	70	115	285	18,01	162,09
54/2343ESR	73	70	526	21,10	189,90
55/2343ESR	73	120	195	13,41	120,68
56/2343ESR	74	190	470	51,87	466,87
57/2343ESR	75	95	405	22,65	203,87
58/2343ESR	75	115	355	24,04	216,32
59/2343ESR	75	160	95	8,95	80,54
60/2343ESR	77	165	210	20,94	188,50
61/2343ESR	79	93	560	32,30	290,68
62/2343ESR	80	85	405	21,62	194,57
63/2343ESR	80	85	460	24,55	220,99
64/2343ESR	80	92	645	37,27	335,39
65/2343ESR	80	100	295	18,53	166,73
66/2343ESR	80	115	270	19,50	175,49
67/2343ESR	80	220	255	35,23	317,08
68/2343ESR	82	120	240	18,54	166,85
69/2343ESR	85	145	440	42,57	383,13
70/2343ESR	90	110	395	30,70	276,28
71/2343ESR	90	110	445	34,58	311,25
72/2343ESR	95	140	195	20,36	183,23
73/2343ESR	95	140	225	23,49	211,42
74/2343ESR	95	160	285	34,01	306,06
75/2343ESR	100	115	130	11,74	105,62
76/2343ESR	105	110	430	38,99	350,88
77/2343ESR	105	115	555	52,61	473,47
78/2343ESR	105	115	555	52,61	473,47
79/2343ESR	107	110	595	54,97	494,77
80/2343ESR	115	115	610	63,33	569,95

Kostki

81/2343ESR	118	120	300	33,35	300,12
82/2343ESR	145	165	190	35,68	321,16
83/2343ESR	155	160	160	31,15	280,34

2379					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2379	17	95	410	5,20	51,98
2/2379	18	80	170	1,92	19,22
3/2379	18	190	195	5,24	52,35
4/2379	19	190	195	5,53	55,26
5/2379	20	40	620	3,89	38,94
6/2379	20	45	325	2,30	22,96
7/2379	20	48	380	2,86	28,64
8/2379	20	50	305	2,39	23,94
9/2379	20	50	375	2,94	29,44
10/2379	20	55	265	2,29	22,88
11/2379	20	80	95	1,19	11,93
12/2379	20	95	155	2,31	23,12
13/2379	20	95	390	5,82	58,17
14/2379	20	100	235	3,69	36,90
15/2379	20	100	405	6,36	63,59
16/2379	20	115	205	3,70	37,01
17/2379	20	125	285	5,59	55,93
18/2379	22	45	375	2,91	29,14
19/2379	22	58	375	3,76	37,56
20/2379	22	80	615	8,50	84,97
21/2379	22	134	55	1,27	12,73
22/2379	22	145	145	3,63	36,31
23/2379	22	150	150	3,89	38,86
24/2379	23	55	130	1,29	12,91
25/2379	23	80	155	2,24	22,39
26/2379	25	40	205	1,61	16,09
27/2379	25	43	305	2,57	25,74
28/2379	25	44	305	2,63	26,34

Kostki

29/2379	25	45	185	1,63	16,34
30/2379	25	50	620	6,08	60,84
31/2379	25	55	260	2,81	28,06
32/2379	25	55	505	5,45	54,51
33/2379	25	55	655	7,07	70,70
34/2379	25	60	135	1,59	15,90
35/2379	25	60	145	1,71	17,07
36/2379	25	60	165	1,94	19,43
37/2379	25	70	70	0,96	9,62
38/2379	25	70	170	2,34	23,35
39/2379	25	75	145	2,13	21,34
40/2379	25	75	185	2,72	27,23
41/2379	25	75	190	2,80	27,97
42/2379	25	90	230	4,06	40,62
43/2379	25	95	150	2,80	27,97
44/2379	25	105	130	2,68	26,79
45/2379	25	145	350	9,96	99,60
46/2379	25	205	80	3,22	32,19
47/2379	27	125	150	3,97	39,74
48/2379	29	55	185	2,32	23,16
49/2379	29	70	125	1,99	19,92
50/2379	30	35	135	1,11	11,13
51/2379	30	55	280	3,63	36,27
52/2379	30	60	250	3,53	35,33
53/2379	30	60	305	4,31	43,10
54/2379	30	60	360	5,09	50,87
55/2379	30	60	405	5,72	57,23
56/2379	30	65	85	1,30	13,01
57/2379	30	70	210	3,46	34,62
58/2379	30	100	235	5,53	55,34
59/2379	30	110	175	4,53	45,33
60/2379	30	110	175	4,53	45,33
61/2379	30	115	240	6,50	65,00
62/2379	30	130	130	3,98	39,80

Kostki

63/2379	30	155	250	9,13	91,26
64/2379	30	155	615	22,45	224,49
65/2379	31	50	175	2,13	21,29
66/2379	32	60	440	6,63	66,32
67/2379	32	63	284	4,49	44,94
68/2379	32	65	195	3,18	31,84
69/2379	32	70	280	4,92	49,24
70/2379	32	90	205	4,63	46,35
71/2379	32	95	85	2,03	20,28
72/2379	32	200	255	12,81	128,11
73/2379	33	40	269	2,79	27,87
74/2379	33	80	330	6,84	68,39
75/2379	33	85	220	4,84	48,44
76/2379	34	48	245	3,14	31,39
77/2379	34	50	185	2,47	24,69
78/2379	34	105	155	4,34	43,44
79/2379	35	35	450	4,33	43,27
80/2379	35	40	125	1,37	13,74
81/2379	35	40	170	1,87	18,68
82/2379	35	40	175	1,92	19,23
83/2379	35	40	405	4,45	44,51
84/2379	35	45	125	1,55	15,45
85/2379	35	45	135	1,67	16,69
86/2379	35	45	135	1,67	16,69
87/2379	35	45	140	1,73	17,31
88/2379	35	45	150	1,85	18,55
89/2379	35	45	405	5,01	50,07
90/2379	35	45	425	5,25	52,55
91/2379	35	55	150	2,27	22,67
92/2379	35	55	180	2,72	27,20
93/2379	35	55	205	3,10	30,98
94/2379	35	55	240	3,63	36,27
95/2379	35	55	305	4,61	46,09
96/2379	35	55	305	4,61	46,09

Kostki

97/2379	35	55	440	6,65	66,49
98/2379	35	60	125	2,06	20,61
99/2379	35	60	150	2,47	24,73
100/2379	35	60	280	4,62	46,16
101/2379	35	60	365	6,02	60,17
102/2379	35	65	170	3,04	30,36
103/2379	35	65	240	4,29	42,86
104/2379	35	65	330	5,89	58,93
105/2379	35	70	100	1,92	19,23
106/2379	35	70	150	2,88	28,85
107/2379	35	70	185	3,56	35,58
108/2379	35	70	220	4,23	42,31
109/2379	35	70	260	5,00	50,00
110/2379	35	75	275	5,67	56,67
111/2379	35	80	310	6,81	68,14
112/2379	35	85	85	1,99	19,85
113/2379	35	85	195	4,55	45,54
114/2379	35	85	255	5,96	59,55
115/2379	35	85	375	8,76	87,58
116/2379	35	90	270	6,68	66,76
117/2379	35	90	515	12,73	127,35
118/2379	35	95	330	8,61	86,13
119/2379	35	100	390	10,72	107,15
120/2379	35	105	405	11,68	116,84
121/2379	35	110	130	3,93	39,29
122/2379	35	110	150	4,53	45,33
123/2379	35	110	160	4,84	48,36
124/2379	35	110	245	7,40	74,05
125/2379	35	115	135	4,27	42,65
126/2379	35	115	200	6,32	63,19
127/2379	35	115	220	6,95	69,51
128/2379	35	135	145	5,38	53,78
129/2379	35	140	60	2,31	23,08
130/2379	35	150	170	7,01	70,06

Kostki

131/2379	35	160	40	1,76	17,58
132/2379	36	45	212	2,70	26,96
133/2379	36	65	95	1,75	17,45
134/2379	36	80	430	9,72	97,21
135/2379	36	85	605	14,53	145,33
136/2379	36	85	610	14,65	146,53
137/2379	36	90	275	6,99	69,94
138/2379	36	95	150	4,03	40,27
139/2379	37	70	90	1,83	18,30
140/2379	37	75	230	5,01	50,10
141/2379	37	75	305	6,64	66,44
142/2379	37	125	265	9,62	96,21
143/2379	37	150	210	9,15	91,49
144/2379	37	155	305	13,73	137,31
145/2379	38	50	195	2,91	29,08
146/2379	38	50	455	6,79	67,86
147/2379	38	75	400	8,95	89,49
148/2379	38	80	280	6,68	66,82
149/2379	38	100	240	7,16	71,59
150/2379	39	55	115	1,94	19,36
151/2379	39	80	255	6,25	62,45
152/2379	39	195	175	10,45	104,47
153/2379	40	39	355	4,35	43,47
154/2379	40	40	195	2,45	24,49
155/2379	40	40	250	3,14	31,40
156/2379	40	40	475	5,97	59,66
157/2379	40	45	240	3,39	33,91
158/2379	40	50	485	7,61	76,15
159/2379	40	55	145	2,50	25,04
160/2379	40	55	295	5,09	50,95
161/2379	40	55	415	7,17	71,67
162/2379	40	55	415	7,17	71,67
163/2379	40	60	75	1,41	14,13
164/2379	40	60	110	2,07	20,72

Kostki

165/2379	40	60	175	3,30	32,97
166/2379	40	60	280	5,28	52,75
167/2379	40	60	365	6,88	68,77
168/2379	40	60	405	7,63	76,30
169/2379	40	65	165	3,37	33,68
170/2379	40	65	245	5,00	50,00
171/2379	40	65	725	14,80	147,97
172/2379	40	70	125	2,75	27,48
173/2379	40	70	145	3,19	31,87
174/2379	40	70	160	3,52	35,17
175/2379	40	70	370	8,13	81,33
176/2379	40	75	110	2,59	25,91
177/2379	40	80	135	3,39	33,91
178/2379	40	80	240	6,03	60,29
179/2379	40	80	430	10,80	108,02
180/2379	40	85	160	4,27	42,70
181/2379	40	90	130	3,67	36,74
182/2379	40	90	160	4,52	45,22
183/2379	40	90	185	5,23	52,28
184/2379	40	90	205	5,79	57,93
185/2379	40	90	340	9,61	96,08
186/2379	40	90	655	18,51	185,10
187/2379	40	100	405	12,72	127,17
188/2379	40	125	615	24,14	241,39
189/2379	40	130	615	25,10	251,04
190/2379	40	150	125	5,89	58,88
191/2379	40	160	205	10,30	102,99
192/2379	40	180	300	16,96	169,56
193/2379	40	205	330	21,24	212,42
194/2379	42	47	143	2,22	22,16
195/2379	44	90	150	4,66	46,63
196/2379	45	40	130	1,84	18,37
197/2379	45	45	125	1,99	19,87
198/2379	45	45	250	3,97	39,74

Kostki

199/2379	45	45	270	4,29	42,92
200/2379	45	50	85	1,50	15,01
201/2379	45	50	210	3,71	37,09
202/2379	45	50	250	4,42	44,16
203/2379	45	50	410	7,24	72,42
204/2379	45	55	100	1,94	19,43
205/2379	45	55	260	5,05	50,51
206/2379	45	55	265	5,15	51,49
207/2379	45	55	270	5,25	52,46
208/2379	45	60	155	3,29	32,85
209/2379	45	60	210	4,45	44,51
210/2379	45	60	225	4,77	47,69
211/2379	45	75	175	4,64	46,36
212/2379	45	75	175	4,64	46,36
213/2379	45	75	190	5,03	50,34
214/2379	45	75	250	6,62	66,23
215/2379	45	75	785	20,80	207,98
216/2379	45	80	85	2,40	24,02
217/2379	45	80	105	2,97	29,67
218/2379	45	80	185	5,23	52,28
219/2379	45	80	405	11,45	114,45
220/2379	45	90	270	8,58	85,84
221/2379	45	95	165	5,54	55,37
222/2379	45	95	205	6,88	68,80
223/2379	45	96	330	11,19	111,91
224/2379	45	100	125	4,42	44,16
225/2379	45	115	180	7,31	73,12
226/2379	45	125	375	16,56	165,59
227/2379	45	125	615	27,16	271,56
228/2379	45	140	160	7,91	79,13
229/2379	45	150	335	17,75	177,51
230/2379	45	215	335	25,44	254,43
231/2379	46	60	90	1,95	19,50
232/2379	47	60	75	1,66	16,60

Kostki

233/2379	47	60	110	2,44	24,35
234/2379	48	55	105	2,18	21,76
235/2379	48	164	302	18,66	186,62
236/2379	50	55	180	3,89	38,86
237/2379	50	56	365	8,02	80,23
238/2379	50	65	300	7,65	76,54
239/2379	50	70	85	2,34	23,35
240/2379	50	70	115	3,16	31,60
241/2379	50	70	165	4,53	45,33
242/2379	50	70	340	9,34	93,42
243/2379	50	70	340	9,34	93,42
244/2379	50	75	85	2,50	25,02
245/2379	50	80	235	7,38	73,79
246/2379	50	80	290	9,11	91,06
247/2379	50	90	350	12,36	123,64
248/2379	50	90	375	13,25	132,47
249/2379	50	95	375	13,98	139,83
250/2379	50	100	160	6,28	62,80
251/2379	50	105	65	2,68	26,79
252/2379	50	110	615	26,55	265,53
253/2379	50	125	220	10,79	107,94
254/2379	50	145	225	12,81	128,05
255/2379	50	145	225	12,81	128,05
256/2379	50	150	50	2,94	29,44
257/2379	50	175	375	25,76	257,58
258/2379	50	180	195	13,78	137,77
259/2379	50	205	240	19,31	193,11
260/2379	50	205	305	24,54	245,41
261/2379	50	220	260	22,45	224,51
262/2379	52	55	105	2,36	23,57
263/2379	52	155	655	41,44	414,43
264/2379	55	45	110	2,14	21,37
265/2379	55	45	360	6,99	69,94
266/2379	55	55	85	2,02	20,18

Kostki

267/2379	55	55	330	7,84	78,36
268/2379	55	60	235	6,09	60,88
269/2379	55	60	440	11,40	113,98
270/2379	55	65	80	2,25	22,45
271/2379	55	65	85	2,39	23,85
272/2379	55	65	165	4,63	46,31
273/2379	55	85	355	13,03	130,28
274/2379	55	100	240	10,36	103,62
275/2379	55	110	370	17,57	175,72
276/2379	55	150	655	42,42	424,19
277/2379	55	165	380	27,07	270,71
278/2379	58	100	105	4,78	47,81
279/2379	58	115	225	11,78	117,81
280/2379	58	165	165	12,40	123,96
281/2379	58	165	165	12,40	123,96
282/2379	60	80	215	8,10	81,01
283/2379	60	90	330	13,99	139,89
284/2379	60	120	1020	57,65	576,50
285/2379	60	125	355	20,90	209,01
286/2379	60	125	355	20,90	209,01
287/2379	60	125	355	20,90	209,01
288/2379	60	125	355	20,90	209,01
289/2379	60	125	360	21,20	211,95
290/2379	60	130	135	8,27	82,66
291/2379	60	130	355	21,74	217,37
292/2379	60	170	260	20,82	208,18
293/2379	60	175	39	3,21	32,15
294/2379	61	85	100	4,07	40,70
295/2379	62	165	305	24,49	244,93
296/2379	65	65	55	1,82	18,24
297/2379	65	75	75	2,87	28,70
298/2379	65	89	200	9,08	90,82
299/2379	65	90	125	5,74	57,40
300/2379	65	95	70	3,39	33,93

Kostki

301/2379	65	140	32	2,29	22,86
302/2379	65	140	150	10,72	107,15
303/2379	65	215	310	34,01	340,08
304/2379	70	60	70	2,31	23,08
305/2379	70	110	410	24,78	247,82
306/2379	73	80	195	8,94	89,40
307/2379	75	75	185	8,17	81,69
308/2379	75	75	365	16,12	161,17
309/2379	75	90	170	9,01	90,08
310/2379	75	115	120	8,12	81,25
311/2379	75	135	115	9,14	91,40
312/2379	75	135	225	17,88	178,83
313/2379	80	105	170	11,21	112,10
314/2379	80	135	615	52,14	521,40
315/2379	85	95	160	10,14	101,42
316/2379	85	105	155	10,86	108,59
317/2379	95	150	30	3,36	33,56
318/2379	125	135	405	53,65	536,50
319/2379	125	145	185	26,32	263,22

2714					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2714	15	75	375	3,31	16,56
2/2714	17	225	250	7,51	37,53
3/2714	18	125	300	5,30	26,49
4/2714	20	160	305	7,66	38,31
5/2714	25	135	300	7,95	39,74
6/2714	25	140	335	9,20	46,02
7/2714	26	53	191	2,07	10,33
8/2714	27	140	340	10,09	50,44
9/2714	30	150	355	12,54	62,70
10/2714	40	120	300	11,30	56,52
11/2714	40	120	295	11,12	55,58

Kostki

12/2714	40	125	345	13,54	67,71
13/2714	40	135	355	15,05	75,24
14/2714	45	90	160	5,09	25,43
15/2714	45	125	215	9,49	47,47
16/2714	45	195	195	13,43	67,16
17/2714	47	90	550	18,26	91,32
18/2714	50	125	245	12,02	60,10
19/2714	50	160	200	12,56	62,80
20/2714	50	230	235	21,21	106,07
21/2714	53	85	160	5,66	28,29
22/2714	154	180	240	52,22	261,12

2714HH					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2714HH	13	355	555	20,11	140,74
2/2714HH	17	105	540	7,57	52,97
3/2714HH	17	205	400	10,94	76,60
4/2714HH	20	80	190	2,39	16,70
5/2714HH	20	85	115	1,53	10,74
6/2714HH	20	90	360	5,09	35,61
7/2714HH	20	180	700	19,78	138,47
8/2714HH	20	190	370	11,04	77,26
9/2714HH	20	235	755	27,86	194,99
10/2714HH	21	445	465	34,11	238,78
11/2714HH	25	40	185	1,45	10,17
12/2714HH	25	40	185	1,45	10,17
13/2714HH	25	60	215	2,53	17,72
14/2714HH	25	75	360	5,30	37,09
15/2714HH	25	75	360	5,30	37,09
16/2714HH	25	85	490	8,17	57,22
17/2714HH	25	95	140	2,61	18,27
18/2714HH	25	134	240	6,31	44,18
19/2714HH	25	140	320	8,79	61,54
20/2714HH	25	180	285	10,07	70,47

Kostki

21/2714HH	25	215	320	13,50	94,51
22/2714HH	25	220	510	22,02	154,13
23/2714HH	26	80	225	3,67	25,72
24/2714HH	27	55	505	5,89	41,21
25/2714HH	27	140	285	8,46	59,20
26/2714HH	28	125	225	6,18	43,27
27/2714HH	28	220	510	24,66	172,63
28/2714HH	29	145	535	17,66	123,62
29/2714HH	30	45	240	2,54	17,80
30/2714HH	30	50	350	4,12	28,85
31/2714HH	30	65	255	3,90	27,32
32/2714HH	30	65	275	4,21	29,47
33/2714HH	30	75	510	9,01	63,06
34/2714HH	30	80	240	4,52	31,65
35/2714HH	30	120	270	7,63	53,41
36/2714HH	32	70	390	6,86	48,00
37/2714HH	33	80	205	4,25	29,74
38/2714HH	33	85	170	3,74	26,20
39/2714HH	33	85	205	4,51	31,60
40/2714HH	33	105	170	4,62	32,37
41/2714HH	33	203	300	15,78	110,43
42/2714HH	35	42	115	1,33	9,29
43/2714HH	35	55	110	1,66	11,64
44/2714HH	35	55	115	1,74	12,16
45/2714HH	35	55	145	2,19	15,34
46/2714HH	35	65	295	5,27	36,88
47/2714HH	35	70	365	7,02	49,14
48/2714HH	35	70	505	9,71	67,99
49/2714HH	35	80	400	8,79	61,54
50/2714HH	35	85	265	6,19	43,32
51/2714HH	35	90	255	6,31	44,14
52/2714HH	35	95	160	4,18	29,23
53/2714HH	35	95	490	12,79	89,53
54/2714HH	35	95	650	16,97	118,76

Kostki

55/2714HH	35	105	140	4,04	28,27
56/2714HH	35	105	455	13,13	91,88
57/2714HH	35	120	180	5,93	41,54
58/2714HH	35	120	305	10,06	70,39
59/2714HH	35	125	185	6,35	44,48
60/2714HH	35	130	230	8,22	57,51
61/2714HH	35	145	450	17,93	125,49
62/2714HH	35	165	350	15,87	111,07
63/2714HH	35	180	350	17,31	121,16
64/2714HH	37	75	190	4,14	28,97
65/2714HH	37	80	145	3,37	23,58
66/2714HH	37	85	785	19,38	135,66
67/2714HH	40	44	580	8,01	56,09
68/2714HH	40	60	345	6,50	45,50
69/2714HH	40	65	310	6,33	44,29
70/2714HH	40	65	350	7,14	50,00
71/2714HH	40	65	405	8,27	57,86
72/2714HH	40	65	425	8,67	60,72
73/2714HH	40	65	575	11,74	82,15
74/2714HH	40	70	505	11,10	77,70
75/2714HH	40	75	510	12,01	84,07
76/2714HH	40	80	305	7,66	53,63
77/2714HH	40	82	320	8,24	57,68
78/2714HH	40	82	320	8,24	57,68
79/2714HH	40	82	320	8,24	57,68
80/2714HH	40	82	320	8,24	57,68
81/2714HH	40	85	260	6,94	48,58
82/2714HH	40	90	200	5,65	39,56
83/2714HH	40	90	255	7,21	50,44
84/2714HH	40	90	300	8,48	59,35
85/2714HH	40	95	210	6,26	43,85
86/2714HH	40	95	220	6,56	45,94
87/2714HH	40	95	355	10,59	74,13
88/2714HH	40	100	300	9,42	65,94

Kostki

89/2714HH	40	105	650	21,43	150,01
90/2714HH	40	115	235	8,49	59,40
91/2714HH	40	115	305	11,01	77,09
92/2714HH	40	130	270	11,02	77,15
93/2714HH	40	135	310	13,14	91,99
94/2714HH	40	140	630	27,69	193,86
95/2714HH	40	140	630	27,69	193,86
96/2714HH	40	180	180	10,17	71,22
97/2714HH	40	190	200	11,93	83,52
98/2714HH	40	310	145	14,11	98,80
99/2714HH	42	75	505	12,49	87,41
100/2714HH	42	85	245	6,87	48,06
101/2714HH	42	100	195	6,43	45,00
102/2714HH	42	125	240	9,89	69,24
103/2714HH	43	70	205	4,84	33,91
104/2714HH	43	255	370	31,85	222,93
105/2714HH	44	75	185	4,79	33,55
106/2714HH	44	75	290	7,51	52,59
107/2714HH	44	195	175	11,79	82,51
108/2714HH	45	60	305	6,46	45,25
109/2714HH	45	65	395	9,07	63,49
110/2714HH	45	70	200	4,95	34,62
111/2714HH	45	70	265	6,55	45,87
112/2714HH	45	75	250	6,62	46,36
113/2714HH	45	85	125	3,75	26,27
114/2714HH	45	85	205	6,16	43,09
115/2714HH	45	90	205	6,52	45,62
116/2714HH	45	90	255	8,11	56,75
117/2714HH	45	90	305	9,70	67,88
118/2714HH	45	95	120	4,03	28,19
119/2714HH	45	95	130	4,36	30,54
120/2714HH	45	100	830	29,32	205,24
121/2714HH	45	125	375	16,56	115,91
122/2714HH	45	130	450	20,67	144,66

Kostki

123/2714HH	45	140	315	15,58	109,05
124/2714HH	45	145	270	13,83	96,81
125/2714HH	45	145	320	16,39	114,74
126/2714HH	45	145	740	37,90	265,33
127/2714HH	45	155	170	9,31	65,16
128/2714HH	45	160	160	9,04	63,30
129/2714HH	45	390	110	15,15	106,08
130/2714HH	45	710	95	23,83	166,79
131/2714HH	47	60	350	7,75	54,24
132/2714HH	47	75	305	8,44	59,08
133/2714HH	47	95	240	8,41	58,88
134/2714HH	48	140	150	7,91	55,39
135/2714HH	48	185	285	19,87	139,07
136/2714HH	48	255	325	31,23	218,59
137/2714HH	49	105	295	11,91	83,40
138/2714HH	50	55	440	9,50	66,49
139/2714HH	50	60	405	9,54	66,76
140/2714HH	50	70	505	13,87	97,12
141/2714HH	50	75	430	12,66	88,61
142/2714HH	50	85	255	8,51	59,55
143/2714HH	50	85	270	9,01	63,06
144/2714HH	50	85	310	10,34	72,40
145/2714HH	50	90	160	5,65	39,56
146/2714HH	50	95	200	7,46	52,20
147/2714HH	50	95	455	16,97	118,76
148/2714HH	50	120	355	16,72	117,04
149/2714HH	50	130	205	10,46	73,22
150/2714HH	50	135	205	10,86	76,04
151/2714HH	50	140	165	9,07	63,47
152/2714HH	50	140	200	10,99	76,93
153/2714HH	50	145	145	8,25	57,77
154/2714HH	50	295	125	14,47	101,31
155/2714HH	53	60	275	6,86	48,05
156/2714HH	53	104	510	22,07	154,47

Kostki

157/2714HH	53	105	510	22,28	155,96
158/2714HH	53	115	285	13,64	95,45
159/2714HH	55	60	305	7,90	55,31
160/2714HH	55	60	335	8,68	60,75
161/2714HH	55	75	135	4,37	30,60
162/2714HH	55	75	220	7,12	49,87
163/2714HH	55	90	295	11,46	80,24
164/2714HH	55	95	195	8,00	55,99
165/2714HH	55	115	120	5,96	41,71
166/2714HH	55	115	180	8,94	62,56
167/2714HH	55	135	255	14,86	104,04
168/2714HH	55	140	155	9,37	65,58
169/2714HH	55	155	190	12,72	89,01
170/2714HH	55	160	195	13,47	94,29
171/2714HH	55	160	195	13,47	94,29
172/2714HH	55	160	355	24,52	171,66
173/2714HH	55	170	80	5,87	41,10
174/2714HH	57	100	250	11,19	78,30
175/2714HH	58	195	945	83,90	587,30
176/2714HH	59	105	720	35,01	245,10
177/2714HH	60	65	405	12,40	86,79
178/2714HH	60	70	415	13,68	95,78
179/2714HH	60	70	515	16,98	118,86
180/2714HH	60	80	255	9,61	67,26
181/2714HH	60	80	310	11,68	81,77
182/2714HH	60	82	140	5,41	37,85
183/2714HH	60	85	335	13,41	93,88
184/2714HH	60	85	335	13,41	93,88
185/2714HH	60	90	310	13,14	91,99
186/2714HH	60	95	225	10,07	70,47
187/2714HH	60	96	255	11,53	80,71
188/2714HH	60	100	155	7,30	51,10
189/2714HH	60	104	335	16,41	114,87
190/2714HH	60	130	160	9,80	68,58

Kostki

191/2714HH	60	130	250	15,31	107,15
192/2714HH	60	130	400	24,49	171,44
193/2714HH	60	138	440	28,60	200,19
194/2714HH	60	138	440	28,60	200,19
195/2714HH	60	150	200	14,13	98,91
196/2714HH	60	200	85	8,01	56,05
197/2714HH	63	100	455	22,50	157,51
198/2714HH	63	155	510	39,09	273,66
199/2714HH	64	69	270	9,36	65,52
200/2714HH	64	120	395	23,81	166,70
201/2714HH	65	80	95	3,88	27,15
202/2714HH	65	85	905	39,25	274,76
203/2714HH	65	90	270	12,40	86,79
204/2714HH	65	95	125	6,06	42,41
205/2714HH	65	100	110	5,61	39,29
206/2714HH	65	105	510	27,32	191,27
207/2714HH	65	105	510	27,32	191,27
208/2714HH	65	130	260	17,25	120,73
209/2714HH	65	140	225	16,07	112,51
210/2714HH	65	140	325	23,22	162,51
211/2714HH	65	165	355	29,89	209,22
212/2714HH	65	180	305	28,01	196,09
213/2714HH	65	265	125	16,90	118,31
214/2714HH	66	135	295	20,63	144,43
215/2714HH	66	150	460	35,75	250,24
216/2714HH	68	125	195	13,01	91,08
217/2714HH	68	200	285	30,43	212,99
218/2714HH	70	44	305	7,37	51,62
219/2714HH	70	105	710	40,97	286,76
220/2714HH	70	110	315	19,04	133,28
221/2714HH	70	115	355	22,43	157,03
222/2714HH	70	140	510	39,23	274,64
223/2714HH	70	185	280	28,46	199,25
224/2714HH	71	130	220	15,94	111,58

Kostki

225/2714HH	75	80	180	8,48	59,35
226/2714HH	75	94	355	19,65	137,53
227/2714HH	75	95	305	17,06	119,41
228/2714HH	75	95	355	19,86	138,99
229/2714HH	75	95	390	21,81	152,69
230/2714HH	75	105	290	17,93	125,49
231/2714HH	75	125	450	33,12	231,82
232/2714HH	75	130	220	16,84	117,87
233/2714HH	75	195	60	6,89	48,22
234/2714HH	77	120	450	32,64	228,48
235/2714HH	77	200	400	48,36	338,49
236/2714HH	78	160	200	19,59	137,16
237/2714HH	80	85	390	20,82	145,73
238/2714HH	80	95	145	8,65	60,55
239/2714HH	80	95	445	26,55	185,84
240/2714HH	80	100	150	9,42	65,94
241/2714HH	80	100	305	19,15	134,08
242/2714HH	80	125	395	31,01	217,05
243/2714HH	80	130	670	54,70	382,89
244/2714HH	80	135	150	12,72	89,02
245/2714HH	80	135	300	25,43	178,04
246/2714HH	80	145	150	13,66	95,61
247/2714HH	80	170	425	45,37	317,61
248/2714HH	82	145	315	29,40	205,81
249/2714HH	84	180	180	21,36	149,55
250/2714HH	85	80	205	10,94	76,60
251/2714HH	85	85	255	14,46	101,24
252/2714HH	85	90	110	6,61	46,24
253/2714HH	85	115	200	15,35	107,43
254/2714HH	85	145	185	17,90	125,29
255/2714HH	85	255	105	17,87	125,06
256/2714HH	87	140	185	17,69	123,82
257/2714HH	90	85	405	24,32	170,25
258/2714HH	90	100	155	10,95	76,66

Kostki

259/2714HH	90	105	125	9,27	64,91
260/2714HH	90	110	255	19,82	138,72
261/2714HH	90	110	290	22,54	157,76
262/2714HH	90	115	225	18,28	127,96
263/2714HH	90	125	145	12,81	89,64
264/2714HH	90	125	205	18,10	126,73
265/2714HH	90	128	385	34,82	243,71
266/2714HH	90	130	385	35,36	247,52
267/2714HH	93	130	205	19,46	136,19
268/2714HH	95	90	505	33,89	237,26
269/2714HH	95	95	225	15,94	111,58
270/2714HH	95	100	355	26,47	185,32
271/2714HH	95	110	110	9,02	63,17
272/2714HH	95	140	455	47,50	332,53
273/2714HH	95	165	305	37,53	262,71
274/2714HH	97	135	240	24,67	172,70
275/2714HH	99	110	125	10,69	74,80
276/2714HH	100	110	120	10,36	72,53
277/2714HH	100	115	155	13,99	97,95
278/2714HH	100	120	300	28,26	197,82
279/2714HH	100	125	200	19,63	137,38
280/2714HH	100	175	210	28,85	201,94
281/2714HH	100	210	175	28,85	201,94
282/2714HH	104	230	90	16,90	118,30
283/2714HH	104	240	265	51,92	363,46
284/2714HH	105	100	75	6,18	43,27
285/2714HH	105	105	800	69,24	484,66
286/2714HH	105	115	800	75,83	530,82
287/2714HH	105	120	310	30,66	214,63
288/2714HH	105	135	385	42,84	299,88
289/2714HH	106	145	300	36,20	253,37
290/2714HH	110	125	310	33,46	234,22
291/2714HH	110	135	240	27,98	195,84
292/2714HH	110	150	215	27,85	194,94

Kostki

293/2714HH	110	155	255	34,13	238,91
294/2714HH	117	135	250	31,00	216,98
295/2714HH	117	135	250	31,00	216,98
296/2714HH	120	125	145	17,07	119,52
297/2714HH	120	195	220	40,41	282,88
298/2714HH	122	125	810	96,97	678,77
299/2714HH	125	125	135	16,56	115,91
300/2714HH	125	150	155	22,81	159,70
301/2714HH	127	125	195	24,30	170,10
302/2714HH	129	130	305	40,15	281,06
303/2714HH	130	130	200	26,53	185,73
304/2714HH	130	140	222	31,72	222,02
305/2714HH	130	200	260	53,07	371,46

2738					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2738	14	430	555	26,23	157,37
2/2738	15	160	165	3,11	18,65
3/2738	17	375	555	27,77	166,65
4/2738	18	205	255	7,39	44,32
5/2738	20	245	495	19,04	114,24
6/2738	20	280	390	17,14	102,87
7/2738	20	280	400	17,58	105,50
8/2738	20	500	500	39,25	235,50
9/2738	22	450	450	34,97	209,83
10/2738	22	505	450	39,25	235,48
11/2738	23	150	380	10,29	61,75
12/2738	25	110	140	3,02	18,13
13/2738	25	200	550	21,59	129,53
14/2738	25	219	350	15,04	90,26
15/2738	25	335	475	31,23	187,37
16/2738	27	225	255	12,16	72,96
17/2738	30	110	295	7,64	45,85

Kostki

18/2738	30	126	640	18,99	113,94
19/2738	30	135	800	25,43	152,60
20/2738	36	205	255	14,77	88,64
21/2738	38	650	340	65,92	395,55
22/2738	40	100	415	13,03	78,19
23/2738	40	155	255	12,41	74,47
24/2738	40	255	305	24,42	146,53
25/2738	45	100	400	14,13	84,78
26/2738	45	110	300	11,66	69,94
27/2738	45	110	390	15,15	90,93
28/2738	45	125	505	22,30	133,79
29/2738	45	130	220	10,10	60,62
30/2738	45	140	320	15,83	94,95
31/2738	45	150	195	10,33	62,00
32/2738	45	155	250	13,69	82,13
33/2738	45	195	215	14,81	88,86
34/2738	45	225	535	42,52	255,13
35/2738	45	380	110	14,77	88,60
36/2738	47	215	215	17,05	102,33
37/2738	50	80	330	10,36	62,17
38/2738	50	100	305	11,97	71,83
39/2738	50	115	145	6,54	39,27
40/2738	50	200	545	42,78	256,70
41/2738	50	215	215	18,14	108,86
42/2738	51	90	405	14,59	87,56
43/2738	52	120	425	20,82	124,91
44/2738	55	105	495	22,44	134,64
45/2738	55	130	335	18,80	112,82
46/2738	55	150	200	12,95	77,72
47/2738	55	150	210	13,60	81,60
48/2738	55	150	210	13,60	81,60
49/2738	55	150	700	45,33	272,00
50/2738	55	150	745	48,25	289,49
51/2738	55	155	310	20,75	124,47

Kostki

52/2738	55	175	430	32,49	194,94
53/2738	55	190	255	20,92	125,51
54/2738	55	205	680	60,19	361,12
55/2738	55	220	390	37,04	222,26
56/2738	55	280	145	17,53	105,17
57/2738	55	335	590	85,34	512,01
58/2738	60	85	665	26,62	159,74
59/2738	63	90	365	16,25	97,48
60/2738	65	95	365	17,69	106,16
61/2738	65	105	405	21,70	130,19
62/2738	65	110	240	13,47	80,82
63/2738	65	190	510	49,44	296,66
64/2738	65	195	290	28,85	173,13
65/2738	65	220	100	11,23	67,35
66/2738	65	230	405	47,53	285,18
67/2738	65	240	340	41,64	249,82
68/2738	65	295	405	60,96	365,77
69/2738	66	250	450	58,29	349,72
70/2738	67	95	305	15,24	91,44
71/2738	67	145	405	30,89	185,32
72/2738	69	140	305	23,13	138,77
73/2738	70	115	195	12,32	73,94
74/2738	70	145	215	17,13	102,78
75/2738	70	145	215	17,13	102,78
76/2738	70	145	215	17,13	102,78
77/2738	70	145	250	19,92	119,52
78/2738	70	150	300	24,73	148,37
79/2738	70	160	350	30,77	184,63
80/2738	70	170	250	23,35	140,12
81/2738	70	175	305	29,33	175,98
82/2738	70	175	350	33,66	201,94
83/2738	70	200	605	66,49	398,94
84/2738	72	150	225	19,08	114,45
85/2738	73	240	510	70,14	420,85

Kostki

86/2738	75	120	190	13,42	80,54
87/2738	75	145	215	18,35	110,13
88/2738	75	190	510	57,05	342,30
89/2738	76	150	305	27,29	163,77
90/2738	76	210	290	36,33	218,00
91/2738	77	165	240	23,94	143,62
92/2738	80	95	355	21,18	127,08
93/2738	80	105	455	30,00	180,02
94/2738	80	105	455	30,00	180,02
95/2738	80	130	495	40,41	242,47
96/2738	80	140	355	31,21	187,27
97/2738	80	185	505	58,67	352,03
98/2738	80	195	400	48,98	293,90
99/2738	80	210	420	55,39	332,34
100/2738	85	100	300	20,02	120,11
101/2738	85	110	260	19,08	114,50
102/2738	85	120	655	52,45	314,68
103/2738	85	125	420	35,03	210,18
104/2738	85	155	330	34,13	204,78
105/2738	85	170	455	51,61	309,67
106/2738	85	185	550	67,89	407,36
107/2738	88	230	285	45,28	271,69
108/2738	90	145	355	36,37	218,20
109/2738	90	170	355	42,64	255,82
110/2738	90	175	450	55,64	333,82
111/2738	90	190	550	73,83	442,98
112/2738	90	225	275	43,71	262,29
113/2738	95	92	140	9,61	57,63
114/2738	95	105	105	8,22	49,33
115/2738	95	105	355	27,80	166,79
116/2738	95	145	735	79,48	476,87
117/2738	95	155	715	82,65	495,89
118/2738	95	170	355	45,01	270,04
119/2738	95	180	110	14,77	88,60

Kostki

120/2738	100	130	355	36,23	217,37
121/2738	100	155	290	35,29	211,71
122/2738	100	170	490	65,39	392,34
123/2738	100	180	280	39,56	237,38
124/2738	100	455	80	28,57	171,44
125/2738	105	85	380	26,62	159,74
126/2738	105	130	155	16,61	99,65
127/2738	105	160	490	64,62	387,73
128/2738	110	160	220	30,40	182,37
129/2738	110	205	210	37,17	223,04
130/2738	115	130	410	48,12	288,70
131/2738	115	155	365	51,07	306,44
132/2738	115	170	285	43,74	262,43
133/2738	120	170	250	40,04	240,21
134/2738	125	130	315	40,18	241,09
135/2738	125	150	480	70,65	423,90
136/2738	125	155	295	44,87	269,21
137/2738	130	105	330	35,36	212,16
138/2738	130	155	255	40,34	242,01
139/2738	130	195	220	43,78	262,68
140/2738	132	175	230	41,71	250,24
141/2738	135	140	500	74,18	445,10
142/2738	135	150	500	79,48	476,89
143/2738	135	175	480	89,02	534,11
144/2738	140	140	430	66,16	396,96
145/2738	275	115	110	27,31	163,85
146/2738	305	100	110	26,34	158,02
147/2738	360	100	110	31,09	186,52

2738HH					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2738HH	15	160	380	7,16	42,96

Kostki

2/2738HH	15	240	240	6,78	40,69
3/2738HH	15	250	380	11,19	67,12
4/2738HH	15	285	500	16,78	100,68
5/2738HH	15	295	450	15,63	93,79
6/2738HH	15	300	450	15,90	95,38
7/2738HH	15	360	505	21,41	128,44
8/2738HH	16	100	255	3,20	19,22
9/2738HH	16	120	370	5,58	33,46
10/2738HH	17	205	305	8,34	50,06
11/2738HH	18	200	345	9,75	58,50
12/2738HH	18	235	280	9,30	55,79
13/2738HH	19	185	200	5,52	33,11
14/2738HH	20	90	265	3,74	22,47
15/2738HH	20	240	365	13,75	82,52
16/2738HH	21	205	300	10,14	60,83
17/2738HH	22	195	225	7,58	45,46
18/2738HH	22	255	555	24,44	146,65
19/2738HH	22	290	520	26,04	156,26
20/2738HH	23	265	235	11,24	67,46
21/2738HH	24	145	710	19,40	116,37
22/2738HH	24	170	525	16,81	100,89
23/2738HH	24	198	250	9,33	55,95
24/2738HH	25	75	225	3,31	19,87
25/2738HH	25	85	405	6,76	40,54
26/2738HH	25	85	405	6,76	40,54
27/2738HH	25	150	305	8,98	53,87
28/2738HH	25	150	330	9,71	58,29
29/2738HH	25	155	705	21,45	128,67
30/2738HH	25	160	365	11,46	68,77
31/2738HH	25	185	305	11,07	66,44
32/2738HH	25	185	365	13,25	79,51
33/2738HH	25	185	505	18,33	110,01
34/2738HH	25	185	550	19,97	119,81
35/2738HH	25	190	350	13,05	78,30

Kostki

36/2738HH	25	195	695	26,60	159,58
37/2738HH	26	145	510	15,09	90,56
38/2738HH	27	95	355	7,15	42,89
39/2738HH	27	120	220	5,60	33,57
40/2738HH	27	145	305	9,37	56,24
41/2738HH	28	120	370	9,76	58,55
42/2738HH	28	220	340	16,44	98,65
43/2738HH	30	100	655	15,43	92,55
44/2738HH	30	115	440	11,92	71,50
45/2738HH	30	205	454	21,92	131,51
46/2738HH	30	210	400	19,78	118,69
47/2738HH	30	290	85	5,81	34,83
48/2738HH	30	365	495	42,55	255,29
49/2738HH	31	325	355	28,08	168,46
50/2738HH	32	140	135	4,75	28,49
51/2738HH	32	170	305	13,02	78,15
52/2738HH	32	170	440	18,79	112,74
53/2738HH	32	175	155	6,81	40,88
54/2738HH	35	50	565	7,76	46,57
55/2738HH	35	85	405	9,46	56,75
56/2738HH	35	95	700	18,27	109,63
57/2738HH	35	125	810	27,82	166,91
58/2738HH	35	145	202	8,05	48,28
59/2738HH	35	165	170	7,71	46,24
60/2738HH	35	175	180	8,65	51,93
61/2738HH	35	210	215	12,40	74,43
62/2738HH	35	245	72	4,85	29,08
63/2738HH	36	140	295	11,67	70,03
64/2738HH	36	155	215	9,42	56,51
65/2738HH	37	185	180	9,67	58,03
66/2738HH	37	185	605	32,51	195,05
67/2738HH	38	130	890	34,51	207,08
68/2738HH	40	95	535	15,96	95,75
69/2738HH	40	100	140	4,40	26,38

Kostki

70/2738HH	40	100	540	16,96	101,74
71/2738HH	40	105	255	8,41	50,44
72/2738HH	40	105	460	15,17	91,00
73/2738HH	40	110	360	12,43	74,61
74/2738HH	40	110	360	12,43	74,61
75/2738HH	40	115	705	25,46	152,75
76/2738HH	40	125	405	15,90	95,38
77/2738HH	40	140	250	10,99	65,94
78/2738HH	40	145	250	11,38	68,30
79/2738HH	40	145	255	11,61	69,66
80/2738HH	40	195	205	12,55	75,31
81/2738HH	40	215	215	14,51	87,09
82/2738HH	40	250	100	7,85	47,10
83/2738HH	40	455	505	72,15	432,90
84/2738HH	42	190	350	21,93	131,55
85/2738HH	42	410	480	64,88	389,31
86/2738HH	43	85	315	9,04	54,23
87/2738HH	45	70	605	14,96	89,76
88/2738HH	45	75	605	16,03	96,17
89/2738HH	45	95	275	9,23	55,37
90/2738HH	45	95	305	10,24	61,41
91/2738HH	45	95	465	15,60	93,63
92/2738HH	45	105	325	12,05	72,33
93/2738HH	45	110	230	8,94	53,62
94/2738HH	45	110	230	8,94	53,62
95/2738HH	45	120	350	14,84	89,02
96/2738HH	45	120	490	20,77	124,63
97/2738HH	45	120	570	24,16	144,97
98/2738HH	45	125	145	6,40	38,42
99/2738HH	45	125	145	6,40	38,42
100/2738HH	45	125	290	12,81	76,83
101/2738HH	45	130	455	20,89	125,37
102/2738HH	45	135	295	14,07	84,41
103/2738HH	45	135	555	26,47	158,80

Kostki

104/2738HH	45	145	240	12,29	73,76
105/2738HH	45	150	385	20,40	122,40
106/2738HH	45	160	235	13,28	79,69
107/2738HH	45	165	810	47,21	283,27
108/2738HH	45	170	530	31,83	190,97
109/2738HH	45	185	135	8,82	52,93
110/2738HH	45	195	440	30,31	181,85
111/2738HH	45	195	440	30,31	181,85
112/2738HH	46	130	355	16,66	99,99
113/2738HH	46	180	360	23,40	140,40
114/2738HH	46	185	500	33,40	200,41
115/2738HH	46	195	140	9,86	59,15
116/2738HH	47	210	390	30,22	181,30
117/2738HH	48	85	400	12,81	76,87
118/2738HH	48	85	505	16,17	97,04
119/2738HH	48	85	505	16,17	97,04
120/2738HH	48	140	390	20,57	123,44
121/2738HH	48	225	335	28,40	170,41
122/2738HH	50	65	705	17,99	107,92
123/2738HH	50	75	455	13,39	80,36
124/2738HH	50	100	305	11,97	71,83
125/2738HH	50	115	290	13,09	78,54
126/2738HH	50	145	145	8,25	49,51
127/2738HH	50	145	145	8,25	49,51
128/2738HH	52	85	260	9,02	54,13
129/2738HH	52	95	350	13,57	81,44
130/2738HH	52	105	205	8,79	52,72
131/2738HH	53	85	455	16,09	96,54
132/2738HH	53	125	150	7,80	46,81
133/2738HH	54	190	240	19,33	115,98
134/2738HH	55	85	380	13,95	83,67
135/2738HH	55	90	250	9,71	58,29
136/2738HH	55	95	245	10,05	60,29
137/2738HH	55	105	160	7,25	43,52

Kostki

138/2738HH	55	150	555	35,94	215,66
139/2738HH	55	165	130	9,26	55,57
140/2738HH	55	255	140	15,41	92,48
141/2738HH	56	115	455	23,00	138,01
142/2738HH	56	150	205	13,52	81,11
143/2738HH	57	85	260	9,89	59,33
144/2738HH	57	110	410	20,18	121,08
145/2738HH	58	95	280	12,11	72,67
146/2738HH	58	200	165	15,02	90,15
147/2738HH	60	65	325	9,95	59,70
148/2738HH	60	65	430	13,16	78,99
149/2738HH	60	75	305	10,77	64,64
150/2738HH	60	80	405	15,26	91,56
151/2738HH	60	85	205	8,21	49,24
152/2738HH	60	85	260	10,41	62,45
153/2738HH	60	95	225	10,07	60,41
154/2738HH	60	105	130	6,43	38,57
155/2738HH	60	125	300	17,66	105,98
156/2738HH	60	130	250	15,31	91,85
157/2738HH	60	150	185	13,07	78,42
158/2738HH	60	185	405	35,29	211,74
159/2738HH	60	230	250	27,08	162,50
160/2738HH	60	295	115	15,98	95,87
161/2738HH	62	90	325	14,24	85,42
162/2738HH	62	170	405	33,51	201,06
163/2738HH	63	95	305	14,33	85,98
164/2738HH	65	90	515	23,65	141,90
165/2738HH	65	100	145	7,40	44,39
166/2738HH	65	100	160	8,16	48,98
167/2738HH	65	100	290	14,80	88,78
168/2738HH	65	105	305	16,34	98,04
169/2738HH	65	175	365	32,59	195,55
170/2738HH	65	180	175	16,07	96,44
171/2738HH	65	450	75	17,22	103,33

Kostki

172/2738HH	67	355	405	75,62	453,71
173/2738HH	68	80	695	29,68	178,08
174/2738HH	68	190	220	22,31	133,88
175/2738HH	70	75	725	29,88	179,27
176/2738HH	70	85	235	10,98	65,86
177/2738HH	70	90	305	15,08	90,50
178/2738HH	70	100	255	14,01	84,07
179/2738HH	70	120	240	15,83	94,95
180/2738HH	70	120	550	36,27	217,60
181/2738HH	70	130	245	17,50	105,01
182/2738HH	70	140	410	31,54	189,25
183/2738HH	70	145	655	52,19	313,13
184/2738HH	70	180	190	18,79	112,76
185/2738HH	70	280	95	14,62	87,70
186/2738HH	72	95	105	5,64	33,83
187/2738HH	72	100	360	20,35	122,08
188/2738HH	72	135	55	4,20	25,18
189/2738HH	75	75	385	17,00	102,00
190/2738HH	75	80	405	19,08	114,45
191/2738HH	75	90	175	9,27	55,64
192/2738HH	75	90	615	32,59	195,52
193/2738HH	75	95	445	24,89	149,34
194/2738HH	75	100	450	26,49	158,96
195/2738HH	75	110	455	29,47	176,80
196/2738HH	75	120	450	31,79	190,76
197/2738HH	75	130	205	15,69	94,14
198/2738HH	75	145	505	43,11	258,67
199/2738HH	75	145	555	47,38	284,28
200/2738HH	75	155	195	17,79	106,77
201/2738HH	75	185	175	19,06	114,36
202/2738HH	75	185	405	44,11	264,67
203/2738HH	75	190	290	32,44	194,64
204/2738HH	75	190	445	49,78	298,67
205/2738HH	75	190	490	54,81	328,88

Kostki

206/2738HH	75	250	250	36,80	220,78
207/2738HH	75	355	190	39,71	238,27
208/2738HH	80	90	165	9,33	55,95
209/2738HH	80	95	475	28,34	170,03
210/2738HH	80	105	300	19,78	118,69
211/2738HH	80	105	505	33,30	199,80
212/2738HH	80	120	225	16,96	101,74
213/2738HH	80	120	335	25,25	151,47
214/2738HH	80	135	155	13,14	78,85
215/2738HH	80	135	640	54,26	325,56
216/2738HH	80	140	185	16,27	97,59
217/2738HH	80	145	200	18,21	109,27
218/2738HH	80	180	305	34,48	206,86
219/2738HH	81	70	225	10,01	60,09
220/2738HH	82	95	605	37,00	221,98
221/2738HH	84	130	700	60,01	360,03
222/2738HH	85	90	305	18,32	109,90
223/2738HH	85	90	490	29,43	176,55
224/2738HH	85	90	600	36,03	216,19
225/2738HH	85	95	300	19,02	114,10
226/2738HH	85	105	245	17,17	102,99
227/2738HH	85	110	305	22,39	134,32
228/2738HH	85	115	305	23,40	140,42
229/2738HH	85	120	185	14,81	88,88
230/2738HH	85	120	230	18,42	110,50
231/2738HH	85	135	405	36,48	218,89
232/2738HH	85	145	415	40,15	240,91
233/2738HH	85	145	700	67,73	406,36
234/2738HH	85	145	805	77,88	467,31
235/2738HH	85	165	805	88,63	531,76
236/2738HH	85	190	290	36,77	220,59
237/2738HH	87	135	355	32,73	196,38
238/2738HH	87	145	910	90,12	540,69
239/2738HH	87	220	395	59,35	356,09

Kostki

240/2738HH	88	160	535	59,13	354,79
241/2738HH	90	95	200	13,42	80,54
242/2738HH	90	95	235	15,77	94,64
243/2738HH	90	135	305	29,09	174,54
244/2738HH	90	150	240	25,43	152,60
245/2738HH	90	160	360	40,69	244,17
246/2738HH	90	165	605	70,53	423,16
247/2738HH	90	185	200	26,14	156,84
248/2738HH	90	195	255	35,13	210,78
249/2738HH	93	150	810	88,70	532,21
250/2738HH	95	100	325	24,24	145,42
251/2738HH	95	125	195	18,18	109,07
252/2738HH	95	125	850	79,24	475,42
253/2738HH	95	130	810	78,53	471,16
254/2738HH	95	130	810	78,53	471,16
255/2738HH	95	135	335	33,73	202,36
256/2738HH	95	135	400	40,27	241,62
257/2738HH	95	140	185	19,31	115,89
258/2738HH	95	145	210	22,71	136,25
259/2738HH	95	145	240	25,95	155,71
260/2738HH	95	155	705	81,49	488,95
261/2738HH	97	125	700	66,63	399,76
262/2738HH	97	130	815	80,68	484,05
263/2738HH	100	105	505	41,62	249,75
264/2738HH	100	115	135	12,19	73,12
265/2738HH	100	115	870	78,54	471,24
266/2738HH	100	140	695	76,38	458,28
267/2738HH	100	165	270	34,97	209,83
268/2738HH	102	125	200	20,02	120,11
269/2738HH	105	120	230	22,75	136,50
270/2738HH	105	125	275	28,33	170,00
271/2738HH	105	130	700	75,01	450,04
272/2738HH	105	145	285	34,06	204,37
273/2738HH	107	105	315	27,78	166,69

Kostki

274/2738HH	110	90	700	54,40	326,40
275/2738HH	110	125	425	45,87	275,24
276/2738HH	110	150	185	23,96	143,77
277/2738HH	110	160	250	34,54	207,24
278/2738HH	115	115	270	28,03	168,18
279/2738HH	115	130	605	71,00	426,01
280/2738HH	115	130	810	95,06	570,36
281/2738HH	115	150	130	17,60	105,62
282/2738HH	115	180	245	39,81	238,87
283/2738HH	116	265	290	69,98	419,88
284/2738HH	120	140	290	38,25	229,47
285/2738HH	125	115	410	46,27	277,60
286/2738HH	125	145	285	40,55	243,30
287/2738HH	125	145	285	40,55	243,30
288/2738HH	125	150	185	27,23	163,38
289/2738HH	128	85	555	47,40	284,41
290/2738HH	128	190	195	37,23	223,37
291/2738HH	130	130	550	72,97	437,79
292/2738HH	130	140	395	56,43	338,60
293/2738HH	130	140	660	94,29	565,77
294/2738HH	130	190	235	45,57	273,39
295/2738HH	140	120	460	60,66	363,99
296/2738HH	140	135	455	67,51	405,04
297/2738HH	140	140	190	29,23	175,40
298/2738HH	140	160	175	30,77	184,63
299/2738HH	140	180	325	64,29	385,75
300/2738HH	145	110	350	43,82	262,94
301/2738HH	150	100	400	47,10	282,60
302/2738HH	165	170	340	74,87	449,19
303/2738HH	170	180	410	98,49	590,92
304/2738HH	200	205	240	77,24	463,46
305/2738HH	210	215	175	62,02	372,15

Kostki

2767					
L.p	Grubość	Wymiary	Wymiary	Waga	Cena
1/2767	12	455	455	19,50	136,51
2/2767	13	160	205	3,35	23,43
3/2767	13	205	355	7,43	51,99
4/2767	14	140	455	7,00	49,00
5/2767	14	190	210	4,39	30,70
6/2767	14	305	305	10,22	71,56
7/2767	15	95	380	4,25	29,76
8/2767	15	195	195	4,48	31,34
9/2767	15	205	355	8,57	59,98
10/2767	15	220	410	10,62	74,35
11/2767	15	305	305	10,95	76,68
12/2767	16	190	100	2,39	16,70
13/2767	18	110	155	2,41	16,86
14/2767	19	205	225	6,88	48,16
15/2767	20	120	305	5,75	40,22
16/2767	20	120	350	6,59	46,16
17/2767	20	150	165	3,89	27,20
18/2767	21	255	255	10,72	75,04
19/2767	22	95	290	4,76	33,31
20/2767	23	60	430	4,66	32,61
21/2767	23	75	370	5,01	35,07
22/2767	23	100	225	4,06	28,44
23/2767	23	105	325	6,16	43,13
24/2767	23	255	255	11,74	82,18
25/2767	23	255	355	16,34	114,41
26/2767	23	365	510	33,61	235,27
27/2767	24	95	205	3,67	25,68
28/2767	24	250	355	16,72	117,04
29/2767	25	80	170	2,67	18,68
30/2767	25	95	210	3,92	27,41
31/2767	25	95	305	5,69	39,80
32/2767	25	180	190	6,71	46,98

Kostki

33/2767	25	185	170	6,17	43,20
34/2767	26	165	205	6,90	48,33
35/2767	29	80	265	4,83	33,78
36/2767	29	225	130	6,66	46,61
37/2767	30	120	145	4,10	28,68
38/2767	30	130	235	7,19	50,36
39/2767	32	140	215	7,56	52,93
40/2767	33	110	335	9,55	66,82
41/2767	35	60	200	3,30	23,08
42/2767	35	65	255	4,55	31,88
43/2767	35	80	325	7,14	50,00
44/2767	35	100	285	7,83	54,81
45/2767	35	115	255	8,06	56,40
46/2767	35	125	150	5,15	36,06
47/2767	35	205	95	5,35	37,46
48/2767	36	125	155	5,48	38,33
49/2767	38	135	180	7,25	50,74
50/2767	40	80	300	7,54	52,75
51/2767	40	90	220	6,22	43,52
52/2767	40	120	185	6,97	48,80
53/2767	42	110	140	5,08	35,54
54/2767	43	80	305	8,24	57,65
55/2767	44	90	510	15,85	110,98
56/2767	44	100	140	4,84	33,85
57/2767	44	100	215	7,43	51,98
58/2767	45	60	200	4,24	29,67
59/2767	45	80	235	6,64	46,49
60/2767	45	80	255	7,21	50,44
61/2767	45	90	165	5,25	36,72
62/2767	45	90	205	6,52	45,62
63/2767	45	90	225	7,15	50,07
64/2767	47	90	265	8,80	61,60
65/2767	48	65	165	4,04	28,29
66/2767	48	80	215	6,48	45,37

Kostki

67/2767	49	60	165	3,81	26,66
68/2767	49	80	250	7,69	53,85
69/2767	50	70	255	7,01	49,04
70/2767	50	90	180	6,36	44,51
71/2767	50	90	255	9,01	63,06
72/2767	50	120	180	8,48	59,35
73/2767	50	120	235	11,07	77,48
74/2767	50	135	160	8,48	59,35
75/2767	52	80	255	8,33	58,29
76/2767	52	85	120	4,16	29,15
77/2767	52	90	310	11,39	79,72
78/2767	52	120	170	8,33	58,29
79/2767	52	140	155	8,86	62,01
80/2767	55	65	420	11,79	82,51
81/2767	55	65	420	11,79	82,51
82/2767	55	80	275	9,50	66,49
83/2767	55	80	280	9,67	67,70
84/2767	55	85	255	9,36	65,51
85/2767	55	90	305	11,85	82,96
86/2767	58	70	160	5,10	35,70
87/2767	59	145	85	5,71	39,96
88/2767	60	70	150	4,95	34,62
89/2767	60	90	185	7,84	54,90
90/2767	60	100	145	6,83	47,81
91/2767	65	80	250	10,21	71,44
92/2767	65	80	300	12,25	85,72
93/2767	65	80	405	16,53	115,72
94/2767	65	100	280	14,29	100,01
95/2767	68	80	205	8,75	61,28
96/2767	70	70	205	7,89	55,20
97/2767	70	70	205	7,89	55,20
98/2767	70	80	140	6,15	43,08
99/2767	70	85	155	7,24	50,68
100/2767	70	95	160	8,35	58,47

Kostki

101/2767	70	95	190	9,92	69,43
102/2767	70	95	255	13,31	93,18
103/2767	71	110	255	15,63	109,44
104/2767	72	95	155	8,32	58,26
105/2767	73	150	160	13,75	96,27
106/2767	75	80	265	12,48	87,37
107/2767	75	80	265	12,48	87,37
108/2767	75	90	305	16,16	113,13
109/2767	75	100	110	6,48	45,33
110/2767	75	100	145	8,54	59,76
111/2767	75	105	180	11,13	77,89
112/2767	80	65	275	11,23	78,58
113/2767	80	65	305	12,45	87,15
114/2767	80	75	215	10,13	70,89
115/2767	80	80	205	10,30	72,09
116/2767	80	90	140	7,91	55,39
117/2767	80	90	195	11,02	77,15
118/2767	80	90	220	12,43	87,04
119/2767	80	100	170	10,68	74,73
120/2767	80	115	90	6,50	45,50
121/2767	80	120	165	12,43	87,04
122/2767	80	145	200	18,21	127,48
123/2767	80	180	205	23,17	162,21
124/2767	80	204	140	17,94	125,55
125/2767	80	255	110	17,62	123,31
126/2767	82	85	140	7,66	53,62
127/2767	90	80	160	9,04	63,30
128/2767	90	115	175	14,22	99,53
129/2767	91	55	385	15,13	105,88
130/2767	91	75	300	16,07	112,51
131/2767	91	80	315	18,00	126,01
132/2767	91	85	265	16,09	112,64
133/2767	91	95	200	13,57	95,01
134/2767	91	95	355	24,09	168,64

Kostki

135/2767	91	115	300	24,65	172,52
136/2767	91	120	305	26,15	183,02
137/2767	91	215	80	12,29	86,01
138/2767	91	300	80	17,14	120,01
139/2767	95	100	205	15,29	107,02
140/2767	95	120	155	13,87	97,10
141/2767	100	100	255	20,02	140,12
142/2767	101	90	95	6,78	47,45
143/2767	101	90	255	18,20	127,37
144/2767	101	95	160	12,05	84,36
145/2767	101	120	235	22,36	156,51
146/2767	101	190	100	15,06	105,45
147/2767	120	95	155	13,87	97,10
148/2767	120	100	255	24,02	168,15
149/2767	120	100	305	28,73	201,12
150/2767	120	100	310	29,20	204,41
151/2767	120	110	305	31,60	221,23
152/2767	120	120	120	13,56	94,95
153/2767	120	130	165	20,21	141,44
154/2767	120	140	190	25,06	175,40
155/2767	120	140	215	28,35	198,48
156/2767	120	200	135	25,43	178,04
157/2767	120	250	95	22,37	156,61